


ad notam®

HIDDEN TECHNOLOGY – TECHNOLOGY BECOMES INVISIBLE.

LIGHTED MIRROR TV COMPOSITION SMM 70-185 Q

COMPOSITION
SERIES

STANDARD
PRODUCTS



KEY FEATURES

- State of the art technology
- 18.5" screen diagonal
- High brightness screen
- Silver Magic Mirror
- Invisible loudspeaker
- Integrated LED Lighting
- Easy to install

Proprietary and Confidential The information contained in this document is the sole property of **ad notam**. Any reproduction in part or in whole without written permission from **ad notam** is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights: EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website www.ad-notam.com

LIGHTED MIRROR TV – COMPOSITION SMM 70-185 Q

GENERAL INFORMATION

Installation method	On-Wall Installation
Product Dimensions	700 W x 800 H x 41 D mm 27.56" W x 31.5" H x 1.61" D inch
Product Weight	15 kg 33.06 lbs
Product Usage	For In-Door Use only
Operating Temperature	5° to 50° Celcius (41° to 122° Fahrenheit)
Humidity	20% - 80%
HS Code	85 28 59 31
Packaging type	Carton Box
Packaging dimensions	810 W x 900 H x 200 D mm 31.89" W x 35.43" H x 7.87" D inch
Packaging Gross Volume Weight	24,3 kg 53.57 lbs



Proprietary and Confidential The information contained in this document is the sole property of **ad notam**. Any reproduction in part or in whole without written permission from **ad notam** is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights: EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website www.ad-notam.com

LIGHTED MIRROR TV – COMPOSITION SMM 70-185 Q

SCREEN				
Mounting	On Glass (MGS)			
Display type	TFT Thin Film Transistor			
Backlight	LED			
Screen Diagonale	470 mm (18.5")			
Picture Format	16:9			
Physical Resolution	1366 x 768			
Viewing Angle	Horizontal: Typical (Total) 170° (Left: 85° / Right: 85°) Vertical: Typical (Total) 160° (Up: 80° / Down: 80°)			
Brightness ¹	450 cd/m ²			
Contrast	Typical: 1000:1			
Response Time	6 ms			
Video Inputs	HDMI 1.3	3x	HDMI terminal	480i, 480p, 576i, 576p, 720i, 720p, 1080i, 1080p
	Component (YPbPr / YCbCr)	1x	RCA terminal, green (Y), blue (Pb), red (Pr)	720p, 1080i, 1080p
Audio Inputs	Line Level Input	1x	RCA terminal, white (L), red (R)	
Other Inputs	USB	1x	USB terminal	Software Update, Media Player
	RS 232	1x	D-SUB 9 pin male terminal	
	IR Input (Infrared)	1x	Mini Jack 3.5 mm	
Audio Outputs	Speaker Output	1x	Phoenix Clip 4pin	2 x 8W RMS @ 8 Ohm per channel
Other Outputs	IR Output (Infrared - Cable)	1x	Mini Jack 3.5 mm	
	IR Output (Infrared - LED)	1x	Mini Jack 2.5 mm	
Media Player	Audio	MP3, AAC, M4A/AAC, WMA		
	Picture	JPEG/JPG, BMP, PNG		
	Video	AVI, MPG, DAT, MOV/MKV		
OSD Language	Deutsch, English, Espanol, Francais, Italiano, Portugues, Chinese			
Power	Voltage: DC 12V Standby: 0.3W / 25mA Default: 26W, 2.17A Maximum: 48W, 4A			
Certification	UL 60950-1, CAN / CSA 22.2 - 60950-1, CB, FCC, EN-60950-1, EMC 55022, EN 6100-3-2			

ENERG Y U A
IE IA

I ad notam II Composition SMM 70-185 Q

A
B
C
D
E
F
G

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ
ENERGUA · ENERGY · ENERGIE
ENERGI

24 kWh/annum

16,2 Watt

47 cm 18,5" inch

2010/1062 – 2011



¹ Value might vary slightly dependent on your selected glass/ mirror type.

Proprietary and Confidential The information contained in this document is the sole property of **ad notam**. Any reproduction in part or in whole without written permission from **ad notam** is prohibited. This product, parts, components or the assembly might be part of or protected by one of the following intellectual property rights:

EP 1168285 / US 7,455,412 / EP 1429308 / EP 1809828 / US 7,589,893 / DE 10139890. For further information please visit our website www.ad-notam.com

LIGHTED MIRROR TV – COMPOSITION SMM 70-185 Q

GLASS & MIRROR


Type	Silver Magic Mirror
Surface	Float
Tint	Silver
Edging ²	Steep Facet 45°
Reflection	40% +/- 5
Transmission of screen image area	60% +/- 5
Reflection of screen image area	40% +/- 5

INVISIBLE LOUDSPEAKER

Type	Single
Rated power	30W, max. power 60W
Impedance	8 Ohm
Sensitivity	85 dB
Frequency response	60 - 20000 Hz

LIGHTING

Type	LED
Luminance ¹	650 lm / meter
Color ¹	4100K / neutral white
Viewing Angle	120°
Dimmer	no
Power	Voltage: DC 24V / Consumption: 9.6W/m



OPTIONAL ACCESSORIES

- Set Top Box T /S2
- Set Top Box IPTV
- Digital Signage Player Hardware
- Slimline Remote Control
- IR Emitter Cable
- IR Loop Through Cable

¹ Value might vary slightly dependent on your selected glass/ mirror type. ² Areas may appear with a slightly deviating shade.